







boss



CSD 650 CIRCLE SAW DISTRESSING MACHINE

 282 Orenda Road, Brampton, ON, L6T 4X6

 800.386.5222

 www.tauruscraco.com

FEATURES >>

Distressing wood surfaces is a growing trend. Re-sawn distressing, a look reminiscent of wood flooring from past centuries, is a specialty feature and is in hot demand.

To replicate saw blade distressing, consider an automated approach by using a specialized machine - the Boss CSD 650 Circle Saw Distressing Machine. This device is suitable for antique floors, furniture board, and other sheet surface treatment.

The wood surface treatment will appear irregular at varying thickness, depth and spacing giving an authentically handmade look and feel. The equipment can work widths from 8 to 650 mm and from 8 to 80 mm in working thickness. It can distress in a random pattern creating curved/circular saw mark lines with adjustable depth of cut.

Components

- Adjusting blades the tile/angle
- Adjusting roller the height
- Equipped with carbon cutter tool
- Emergency stop
- Heavy-duty frame and construction
- Overload protection
- PLC touch screen
- Variable speed adjustment

BOSS CSD 650 Circle Saw Distressing Machine

Voltage	440 V
Frequency	60 Hz
Power	6.5 kW
Thickness of wood boards	8 - 80 mm
Width of wood boards	10 - 650 mm
Speed	0 - 12 m/min
Capacity	1500 sq m - 16,145 sq ft (8 hrs)
Overall dimensions	1800 x 2100 x 1200 m

FINANCIAL TERMS >>


FINANCIAL TERMS:

30% deposit payment with signed order.

60% payment due upon notification of machine shipment Ex-Factory.

10% payment due upon completion of installation, not to exceed 30 days after delivery



 282 Orenda Road, Brampton, ON, L6T 4X6

 800.386.5222  www.tauruscraco.com



All machines are supplied with the appropriate CSA or Electrical Safety Authority approvals. Any modifications that are required as a result of local or provincial inspection programs are the responsibility of the purchaser. Price quoted is based on current rate of exchange and is subject to adjustment to prevailing rate at time of payment. Machine understood to be subject to stock prior to sale. We reserve the right to correct any typographic, pictorial and pricing errors without notice.