





TAURUS  
CRACO



#### BRIQUETTING PRESSES



### **BrikStar C** **BrikStar V**

Hydraulic  
briquetting presses

up to 170 kg/h output  
GS certified

**HÖCKER<sup>®</sup>**  
**POLYTECHNIK**

*Always one idea ahead*




**TAURUS  
CRACO**

## BrikStar V. V like „Variable“ „No space“ is not an excuse anymore.

With the BrikStar V briquetting press, you benefit from unimagined freedom when setting up your press.

The hydraulic unit, the feeding screw, the press frame and the control cabinet are separate units in the BrikStar V. You can, for example, collect the chips outside in a MultiStar filter system, lead the transport screw through the wall and then let the BrikStar V do its job in an adjoining room - independently of the weather. It couldn't be more variable.



[www.tauruscraco.com](http://www.tauruscraco.com)

## With the BrikStar V you can realize your individual briquetting solution.

The BrikStar V briquetting press can be easily integrated into your existing infrastructure. The Höcker project specialists implement your individual briquetting tailor-made.

Combine several BrikStar V briquetting presses with one feed container and process material quantities of up to 700 kg/h.



Briquette storage in Bigbag double container with frame and change over device. Switching possible according to preset briquette quantity.



A BrikStar V model in a combination insert with a moving floor container and a MultiStar filter system. The arrangement in a weather protection cabin allows comfortable access. With water pliers cooling for continuous operation.



The four BrikStar V 11 briquetting presses produce 700 kg/h of briquettes in highest briquette quality.



Maximum briquette output with four BrikStar V 11 presses as quattro solution.

BrikStar V Quattro system with 4 x 11 kW presses on push-floor loading containers (2 x left, 2 x right) including water pliers cooling for continuous operation. Container feeding via cyclone with ring line and pneumatic transport system.

[www.tauruscraco.com](http://www.tauruscraco.com)









TAURUS  
CRACO

## Data and Measurements

BrikStar Vx model



## Variants and measurements

Typ	Briquetting performance (depending on material)	Hydraulic motor (kW)	Floor space		Overall height Press (m)	Ø Briquettes (mm)
			Press (m)	Hydraulic (m)		
BrikStar V3	max. 50 kg/h	3.00	2.00 x 0.35	0.62 x 1.30	0.80	65
BrikStar V4	max. 70 kg/h	4.00	2.00 x 0.35	0.62 x 1.30	0.80	65
BrikStar V5	max. 100 kg/h	5.50	2.00 x 0.35	0.62 x 1.30	0.80	65
BrikStar V7	max. 130 kg/h	7.50	2.00 x 0.35	0.62 x 1.30	0.80	65
BrikStar V11	max. 170 kg/h	11.00	2.00 x 0.35	0.62 x 1.30	0.80	65

www.tauruscraco.com

## Options for BrikStar C and BrikStar V



The cooling section improves the briquette quality for difficult/demanding material.



With oil cooling, your BrikStar C or V is perfectly equipped for 24/7 operation. (with BrikStar C/V 7 and 11 standard equipment).



Water pliers cooling for continuous operation (recommended from BrikStar C/V 7 and 11).



Inspection door with viewing window.



Weather protection housing for cooling lines.



Briquette diameter 55 mm (instead of 65 mm) for difficult to briquette materials such as MDF.

## With every turn. With every bag. Efficient!

Bagging carousels for automatic or manual operation

### Bagging carousel AK 6/10-HW/HZ (for automatic briquette filling)

There is no easier way to pack briquettes. Your bagging carousel is completely assembled and delivered ready for connection. The carousel stands stably and securely on three feet, each is equipped with a weight sensor. The six or ten plastic bags for the briquette bagging can be easily attached and quickly removed. The holder height can be adjusted to the bag sizes and the waste bags can be fastened and released quickly and easily by means of clamps. The bagging carousel reduces your work effort in briquette production to a minimum - remove full bags, clamp empty bags and continue production.



### Advantages

- space-saving design
- 6er or 10er variant selectable
- compatible with standard bags
- low energy consumption
- precise, automatic weighing device
- simplified briquette handling reduces personnel costs

### Also available:

- Bagging carousel AK 6-HW/AK 10-HW (with weighing device)
- Bagging carousel AK 6-HE/AK 10-HE (without weighing device)
- Bagging carousel AK 6-HM (manual variant)

www.tauruscraco.com